AQUAGRID[™]

ASSEMBLY & USAGE INSTRUCTIONS

INCLUDED COMPONENTS:



• 24" Rod (18)



• 48" Rod (6)





• Floating Dish (7)



• Base Ring (12)



• Weight Clip (7)



Carrying Case







• 4-Way Hub (21)



• 6-Way Hub (14)

STEP 1:


PLAN YOUR GRID LAYOUT


Before assembling, determine:


- Grid shape:
 - circular, linear, freeform, etc.
- · Hubs selection:
 - 4-Way Hub: Good for linear designs and 90 degree angles like edges and corners.
 - 6-Way Hub: Best for connecting freeform, nonlinear configurations.
- Rod lengths:
 - Choose depending on spacing and scale.

SAMPLE LAYOUTS

indicates base ring











STEP 2:

ASSEMBLE EACH FLOATING MODULE

1. Insert the selected Rods into the Hub openings and continue connecting to your desired diagram.



2. Attach the Floating Dish onto the Hub by snapping it gently into place.




3. Repeat to create additional floating units. Note: Floating Dishes can be installed either as you build each module or after the entire grid layout is complete in Step 3.

STEP 3:

CONNECT MODULES TO FORM THE GRID

- Continue attaching Hubs and Rods to build your structure.
- Use Base Rings without Floating Dishes to:
 - Extend the grid outward.
 - Increase stability by building grid as close as possible to the edge of the pool or water feature with a Rod or Hub without Floating Dish.



STEP 4:

ADDING FLORAL DESIGNS OR DECOR

- You may place your arrangement or other decorative elements like candles directly in the Floating Dish, or within another container to be placed in the Floating Dish. Whichever method you choose, be sure to:
 - Keep the weight evenly balanced.
 - Avoid overloading to maintain buoyancy and stability.
 - Maximum weight per Floating Dish: 5 pounds.



STEP 5:STABILIZING THE DESIGN

To prevent drifting:

- Extend the grid toward the edges of the pool using Base Rings, Hubs, and Rods to "center" the shape in place.
- If using only a single Floating Dish or very small groupings, use the Weight Clip.
 - Tie fishing line to the Weight Clip.
 - Attach a small weight to sink just beneath the water.
- For additional stability, turn off the pool's filtration system during the event if possible to minimize water movement.


STEP 6:

DISASSEMBLY & STORAGE

- 1. To remove Hubs from Floating Dishes:
 - Squeeze the underside tabs gently and slide out at a slight angle.
- 2. Remove all Rods from Hubs.
- 3. Store components in the Carrying Case for reuse.

ENDLESS POSSIBILITIES AHEAD

Once you get the hang of your Aquagrid[™], the fun really begins. Add new kits or extra parts to expand your setup, build new layouts, and explore fresh ways to interact with water. Your system can grow right along with your imagination.



Designed and patented for florists, by a florist: Anne-Marie Ansaldo-Swain.

U.S. Patent Nos. 10,458,644 • 11,180,285 • 11,655,072 • 12,060,197





1-800-227-3084 • syndicatesales.com